INTELART

13-C200 v1.0

Rolling Shutter Color Camera

User Manual
www.intelart.ir
08/2021



Warning notice system

This manual contains notices you have to observe in order to ensure your personal safety, as well as to prevent damage to property. The notices referring to your personal safety are highlighted in the manual by a safety alert symbol, notices referring only to property damage have no safety alert symbol. These notices shown below are graded according to the degree of danger.

DANGER

indicates that death or severe personal injury will result if proper precautions are not taken.

WARNING

indicates that death or severe personal injury may result if proper precautions are not taken.

NOTICE

indicates that property damage can result if proper precautions are not taken.

Qualified personnel

The product/system described in this documentation may be operated only by personnel qualified for the specific task in accordance with the relevant documentation, in particular its warning notices and safety instructions.

Qualified personnel are those who, based on their training and experience, are capable of identifying risks and avoiding potential hazards when working with these products/systems

I

Contents

W	Warning notice system I					
Qualified personnel						
		echnical Specifications				
		Hardware Parameters				
		imensional drawing				
_	U	interioronal arawing				



1 Technical Specifications

1.1 Hardware Parameters

The following table specifies the hardware information of the device.

Table 1 Hardware parameters

	Shutter type	Rolling			
	MAX resolution	1200X780			
Sensor	Optical Format	1/4"			
specifications	Pixel Size	3.0 μm			
	Image Area	3888 × 2430 μm			
	MAX frame rate	30 fps			
	Interface Type	USB 2.0			
	Data rate	480 Mbps			
Interface	Type of output voltage	DC			
Interface	Operating voltage	5V			
	Hardware trigger	No			
	max current	0.5A			
	Width	50mm			
Dimensions	Height	50mm			
	Depth	25mm			
Ambient	Storage temperature	-15 to 75 °C			
Conditions	Operating temperature	0 to 55 °C			
	Weight	Approx. 90g			
Miscellaneous	On board object light	Yes, with optional color			
	Diagnostic LED	No			



2 Dimensional drawing

The dimensions of the device are available in this section. For install the device follow the below dimensional drawing.




Figure 1 Dimensional drawing of I3-C200 module